

SAFETY DATA SHEET CRYSTAL VIOLET CONCENTRATE

According to Regulation (EU) No 453/2010

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name CRYSTAL VIOLET CONCENTRATE
Product No. PL.8000/5, PL.8000/4, PL.8000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory reagent.

1.3. Details of the supplier of the safety data sheet

Supplier Pro-Lab Diagnostics
3 Bassendale Road
Wirral
Merseyside
CH62 3QL
Tel: 0151 353 1613
Fax: 0151 353 1614
mowen@pro-lab.com

1.4. Emergency telephone number

+44 (0)151 353 1613 Monday to Friday 9.00 to 17.00
+44 (0)7714 429 646 outside the above hours

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Carc. Cat. 3;R40. Xi;R36. N;R51/53. R10.

Human health

Irritating to eyes. Limited evidence of a carcinogenic effect. Carcinogen Category 3. See section 11 for additional information on health hazards.

Environment

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Physical and Chemical Hazards

Flammable. Vapours may be ignited by a spark, a hot surface or an ember.

2.2. Label elements

Contains C.I. BASIC VIOLET 3

Labelling



Harmful



Dangerous for the environment

Risk Phrases

R10	Flammable.
R36	Irritating to eyes.
R40	Limited evidence of a carcinogenic effect.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety Phrases

S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37	Wear suitable protective clothing and gloves.
S51	Use only in well-ventilated areas.
S57	Use appropriate containment to avoid environmental contamination.

CRYSTAL VIOLET CONCENTRATE

S60

This material and its container must be disposed of as hazardous waste.

S61

Avoid release to the environment. Refer to special instructions/safety data sheets.

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

C.I. BASIC VIOLET 3	5-10%
CAS-No.: 548-62-9	EC No.: 208-953-6
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318 Carc. 2 - H351 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC) Carc. Cat. 3;R40 Xn;R22 Xi;R41 N;R50/53
ETHANOL	30-60%
CAS-No.: 64-17-5	EC No.: 200-578-6
Classification (EC 1272/2008) Flam. Liq. 2 - H225	Classification (67/548/EEC) F;R11
METHANOL	1-5%
CAS-No.: 67-56-1	EC No.: 200-659-6
Classification (EC 1272/2008) Flam. Liq. 2 - H225 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 STOT SE 1 - H370	Classification (67/548/EEC) F;R11 T;R23/24/25,R39/23/24/25

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air at once.

Ingestion

Do not induce vomiting. Immediately rinse mouth and provide fresh air. Get medical attention if any discomfort continues.

Skin contact

Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water. Get medical attention promptly if symptoms occur after washing.

Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

CRYSTAL VIOLET CONCENTRATE

Ingestion

May cause discomfort if swallowed.

Skin contact

Prolonged skin contact may cause redness and irritation.

Eye contact

May irritate eyes.

4.3. Indication of any immediate medical attention and special treatment needed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Extinguish with alcohol-resistant foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing media

Not relevant

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

None under normal conditions.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Specific hazards

The product is non-combustible. If heated, toxic vapours may be formed.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Containers close to fire should be removed immediately or cooled with water. Keep run-off water out of sewers and water sources. Dike for water control.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for additional information on health hazards.

For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact.

Wash hands after handling.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry and cool place.

Storage Class

Flammable liquid storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

CRYSTAL VIOLET CONCENTRATE

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
ETHANOL	WEL	1000 ppm	1920 mg/m ³			
METHANOL	WEL	200 ppm	266 mg/m ³	250 ppm	333 mg/m ³	Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through skin.

8.2. Exposure controls

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection

Wear approved, tight fitting safety glasses where splashing is probable.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Deep violet.
Odour	Odour of alcohol.
Solubility	Soluble in water.
Flash point	~ 25°C CC (Closed cup).

9.2. Other information

Not determined.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

Will not polymerise.

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials To Avoid

No incompatible groups noted.

10.6. Hazardous decomposition products

None at ambient temperatures.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Other Health Effects

Carcinogen Category 3.

CRYSTAL VIOLET CONCENTRATE

Inhalation

No specific health warnings noted.

Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact

No specific health warnings noted.

Eye contact

Irritating to eyes.

Toxicological information on ingredients.

METHANOL (CAS: 67-56-1)

Acute toxicity:

Acute Toxicity (Oral LD50)

> 1187 mg/kg Rat

REACH dossier information

Acute Toxicity (Inhalation LC50)

> 115.9 mg/l (vapours) Rat 4 hours

REACH dossier information

ETHANOL (CAS: 64-17-5)

Acute toxicity:

Acute Toxicity (Oral LD50)

10470 mg/kg Rat

REACH dossier information

Acute Toxicity (Inhalation LC50)

116.9 mg/l (vapours) Rat 4 hours

REACH dossier information

C.I. BASIC VIOLET 3 (CAS: 548-62-9)

Acute toxicity:

Acute Toxicity (Oral LD50)

670 mg/kg Rat

REACH dossier information

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

CRYSTAL VIOLET CONCENTRATE

Ecological information on ingredients.

METHANOL (CAS: 67-56-1)

96 hours 15400 mg/l *Lepomis macrochirus* (Bluegill)

REACH dossier information

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours > 10000 mg/l *Daphnia magna*

REACH dossier information

Acute Toxicity - Aquatic Plants

EC50 96 hours ~ 22000 mg/l Freshwater algae

REACH dossier information

ETHANOL (CAS: 64-17-5)

Acute Toxicity - Fish

LC50 96 hours 14.2 mg/l *Pimephales promelas* (Fat-head Minnow)

REACH dossier information

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 5012 mg/l *Daphnia magna*

REACH dossier information

Acute Toxicity - Aquatic Plants

EC50 72 hours 275 mg/l Freshwater algae

REACH dossier information

C.I. BASIC VIOLET 3 (CAS: 548-62-9)

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours ~ 0.37 mg/l *Daphnia magna*

REACH dossier information

Acute Toxicity - Aquatic Plants

EC50 72 hours ~ 0.413 mg/l Freshwater algae

REACH dossier information

12.2. Persistence and degradability

Degradability

There are no data on the degradability of this product.

Ecological information on ingredients.

METHANOL (CAS: 67-56-1)

Biodegradation

Water Degradation (71.5%) 5 days

REACH dossier information

Degradation (95%) 20 days

REACH dossier information

ETHANOL (CAS: 64-17-5)

Biodegradation

Water Degradation (96%) 20 days

REACH dossier information

C.I. BASIC VIOLET 3 (CAS: 548-62-9)

Biodegradation

Water and Sediment Degradation (3.6%) 28 days

REACH dossier information

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

12.4. Mobility in soil

Mobility:

The product is soluble in water.

CRYSTAL VIOLET CONCENTRATE

12.5. Results of PBT and vPvB assessment

Not determined.

12.6. Other adverse effects

Not determined.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN)	1993
UN No. (IMDG)	1993
UN No. (ICAO)	1993

14.2. UN proper shipping name

Proper Shipping Name FLAMMABLE LIQUID, N.O.S. (ETHANOL, C.I. BASIC VIOLET 3)

14.3. Transport hazard class(es)

ADR/RID/ADN Class	3
ADR/RID/ADN Class	Class 3: Flammable liquids.
ADR Label No.	3
IMDG Class	3
ICAO Class/Division	3
Transport Labels	



14.4. Packing group

ADR/RID/ADN Packing group	III
IMDG Packing group	III
ICAO Packing group	III

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant



14.6. Special precautions for user

EMS F-E, S-E

CRYSTAL VIOLET CONCENTRATE

Emergency Action Code 3YE
Hazard No. (ADR) 30
Tunnel Restriction Code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply.

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Revision Comments

Supplier's contact details amended. Reissued according to Regulation (EU) No 453/2010.

Revision Date 11-2011

Revision 6

Supersedes date 02-2010

Risk Phrases In Full

R10 Flammable.
R22 Harmful if swallowed.
R11 Highly flammable
R36 Irritating to eyes.
R40 Limited evidence of a carcinogenic effect.
R41 Risk of serious damage to eyes.
R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard Statements In Full

H370 Causes damage to organs <<Organs>>.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H225 Highly flammable liquid and vapour.
H351 Suspected of causing cancer.
H331 Toxic if inhaled.
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H411 Toxic to aquatic life with long lasting effects.
H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.

CRYSTAL VIOLET CONCENTRATE

Disclaimer

The information in this safety data sheet was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Pro-Lab Diagnostics control, it is the users responsibility to perform thorough testing of this product when used in combination with any other product. It is suggested that users familiarise themselves with this safety data sheet before handling the product.