

## SAFETY DATA SHEET AURAMINE PHENOL CONCENTRATE

According to Regulation (EU) No 453/2010

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

**Product name** AURAMINE PHENOL CONCENTRATE  
**Product No.** PL.8008/5, PL.8008/4, PL.8008

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Laboratory reagent.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Pro-Lab Diagnostics  
3 Bassendale Road  
Wirral  
Merseyside  
CH62 3QL  
Tel: 0151 353 1613  
Fax: 0151 353 1614  
mowen@pro-lab.com

#### 1.4. Emergency telephone number

+44 (0)151 353 1613 Monday to Friday 9.00 to 17.00  
+44 (0)7714 429 646 outside the above hours

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

**Classification (1999/45/EEC)** T;R23/24/25. Xn;R48/20/21/22. Carc. Cat. 3;R40, Muta Cat. 3;R68. C;R34.

##### Human health

Causes burns. Toxic by inhalation, in contact with skin and if swallowed. Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. Possible risk of irreversible effects. Limited evidence of a carcinogenic effect. Carcinogen Category 3. Mutagen Category 3.

#### 2.2. Label elements

**Contains** AURAMINE O  
PHENOL

##### Labelling



Toxic



Corrosive

##### Risk Phrases

R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R34	Causes burns.
R40	Limited evidence of a carcinogenic effect.
R48/20/21/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.
R68	Possible risk of irreversible effects.

##### Safety Phrases

S24/25	Avoid contact with skin and eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S27	Take off immediately all contaminated clothing.
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
S38	In case of insufficient ventilation, wear suitable respiratory equipment.

# AURAMINE PHENOL CONCENTRATE

S45

In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).

S60

This material and its container must be disposed of as hazardous waste.

## 2.3. Other hazards

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

<b>AURAMINE O</b>	<b>1-5%</b>
<b>CAS-No.: 2465-27-2</b>	<b>EC No.: 219-567-2</b>
Classification (EC 1272/2008) Acute Tox. 4 - H302 Acute Tox. 3 - H311 Carc. 1A - H350, H351 Carc. 2 - H350, H351	Classification (67/548/EEC) Carc. Cat. 1;R45. Xn;R22. Carc. Cat. 3;R40.
<b>ETHANOL</b>	<b>10-30%</b>
<b>CAS-No.: 64-17-5</b>	<b>EC No.: 200-578-6</b>
Classification (EC 1272/2008) Flam. Liq. 2 - H225	Classification (67/548/EEC) F;R11
<b>METHANOL</b>	<b>1-5%</b>
<b>CAS-No.: 67-56-1</b>	<b>EC No.: 200-659-6</b>
Classification (EC 1272/2008) Flam. Liq. 2 - H225 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 STOT SE 1 - H370	Classification (67/548/EEC) F;R11 T;R23/24/25,R39/23/24/25
<b>PHENOL</b>	<b>10-30%</b>
<b>CAS-No.: 108-95-2</b>	<b>EC No.: 203-632-7</b>
Classification (EC 1272/2008) Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Muta. 2 - H341 STOT RE 2 - H373	Classification (67/548/EEC) Muta. Cat. 3;R68 T;R23/24/25 C;R34 Xn;R48/20/21/22

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

# AURAMINE PHENOL CONCENTRATE

## **Inhalation**

Move into fresh air and keep at rest. Get medical attention if any discomfort continues.

## **Ingestion**

Get medical attention immediately! Do not induce vomiting. Immediately rinse mouth and provide fresh air.

## **Skin contact**

Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water. Get medical attention.

## **Eye contact**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

## **4.2. Most important symptoms and effects, both acute and delayed**

### **Inhalation.**

Spray mists may cause respiratory tract irritation.

### **Ingestion**

May cause chemical burns in mouth and throat. May cause internal injury.

### **Skin contact**

Chemical burns. Blistering may occur.

### **Eye contact**

Corneal damage.

## **4.3. Indication of any immediate medical attention and special treatment needed**

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

#### **Extinguishing media**

Use fire-extinguishing media appropriate for surrounding materials.

#### **Unsuitable extinguishing media**

Do not use water jet as an extinguisher, as this will spread the fire.

### **5.2. Special hazards arising from the substance or mixture**

#### **Hazardous combustion products**

During fire, toxic gases (CO, CO<sub>2</sub>) are formed.

#### **Unusual Fire & Explosion Hazards**

May travel considerable distance to source of ignition and flash back.

#### **Specific hazards**

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### **5.3. Advice for firefighters**

#### **Special Fire Fighting Procedures**

Avoid breathing fire vapours. Move container from fire area if it can be done without risk. Use water spray to reduce vapours. Keep run-off water out of sewers and water sources. Dike for water control.

#### **Protective equipment for fire-fighters**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Wear protective clothing as described in Section 8 of this safety data sheet.

### **6.2. Environmental precautions**

Avoid discharge to the aquatic environment.

### **6.3. Methods and material for containment and cleaning up**

Wear necessary protective equipment. Stop leak if possible without risk. DO NOT touch spilled material! Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not let washing down water contaminate ponds or waterways.

### **6.4. Reference to other sections**

# AURAMINE PHENOL CONCENTRATE

Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for additional information on health hazards.  
For waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. Avoid spilling, skin and eye contact. Wash hands after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry and cool place.

#### Storage Class

Toxic storage.

### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
ETHANOL	WEL	1000 ppm	1920 mg/m <sup>3</sup>			
METHANOL	WEL	200 ppm	266 mg/m <sup>3</sup>	250 ppm	333 mg/m <sup>3</sup>	Sk
PHENOL	WEL	2 ppm	7,8 mg/m <sup>3</sup>	4 ppm	16 mg/m <sup>3</sup>	Sk

WEL = Workplace Exposure Limit.  
Sk = Can be absorbed through skin.

### 8.2. Exposure controls

#### Protective equipment



#### Hand protection

Use protective gloves. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

#### Eye protection

Wear approved safety goggles.

#### Other Protection

Provide eyewash station.

#### Hygiene measures

DO NOT SMOKE IN WORK AREA! Promptly remove any clothing that becomes contaminated. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Deep yellow.
Odour	Odour of alcohol.
Solubility	Soluble in water.

### 9.2. Other information

Not determined.

## SECTION 10: STABILITY AND REACTIVITY

# AURAMINE PHENOL CONCENTRATE

## **10.1. Reactivity**

Strong oxidising substances.

## **10.2. Chemical stability**

Stable under normal temperature conditions and recommended use.

## **10.3. Possibility of hazardous reactions**

### **Hazardous Polymerisation**

Will not polymerise.

## **10.4. Conditions to avoid**

Avoid exposing to heat and contact with strong oxidising substances.

## **10.5. Incompatible materials**

### **Materials To Avoid**

Strong oxidising substances.

## **10.6. Hazardous decomposition products**

During fire, toxic gases (CO, CO<sub>2</sub>) are formed.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **11.1. Information on toxicological effects**

#### **Other Health Effects**

Limited evidence of a carcinogenic effect. Carcinogen Category 3. Possible risk of irreversible effects. Mutagen Category 3.

#### **Inhalation**

Toxic by inhalation. Harmful: danger of serious damage to health by prolonged exposure through inhalation.

#### **Ingestion**

Causes burns. Toxic if swallowed. Harmful: danger of serious damage to health by prolonged exposure if swallowed.

#### **Skin contact**

Causes burns. Toxic in contact with skin. Harmful: danger of serious damage to health by prolonged exposure if swallowed.

#### **Eye contact**

Causes burns. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.

## **SECTION 12: ECOLOGICAL INFORMATION**

### **Ecotoxicity**

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### **12.1. Toxicity**

### **12.2. Persistence and degradability**

#### **Degradability**

There are no data on the degradability of this product.

### **12.3. Bioaccumulative potential**

#### **Bioaccumulative potential**

No data available on bioaccumulation.

### **12.4. Mobility in soil**

#### **Mobility:**

The product is soluble in water.

# AURAMINE PHENOL CONCENTRATE

## 12.5. Results of PBT and vPvB assessment

Not determined.

## 12.6. Other adverse effects

Not determined.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

## SECTION 14: TRANSPORT INFORMATION

### 14.1. UN number

UN No. (ADR/RID/ADN)	2821
UN No. (IMDG)	2821
UN No. (ICAO)	2821

### 14.2. UN proper shipping name

Proper Shipping Name	PHENOL SOLUTION
----------------------	-----------------

### 14.3. Transport hazard class(es)

ADR/RID/ADN Class	6.1
ADR/RID/ADN Class	Class 6.1: Toxic substances.
ADR Label No.	6.1
IMDG Class	6.1
ICAO Class/Division	6.1

### Transport Labels



### 14.4. Packing group

ADR/RID/ADN Packing group	II
IMDG Packing group	II
ICAO Packing group	II

### 14.5. Environmental hazards

#### Environmentally Hazardous Substance/Marine Pollutant

No.

### 14.6. Special precautions for user

EMS	F-A, S-A
Emergency Action Code	2X
Hazard No. (ADR)	60
Hazard No. (ADR)	60 Toxic or slightly toxic substance.

# AURAMINE PHENOL CONCENTRATE

Tunnel Restriction Code (D/E)

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

### SECTION 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### **Statutory Instruments**

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

##### **Approved Code Of Practice**

Classification and Labelling of Substances and Preparations Dangerous for Supply.

##### **Guidance Notes**

Workplace Exposure Limits EH40.

##### **EU Legislation**

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

#### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

### SECTION 16: OTHER INFORMATION

##### **Revision Comments**

Updated STEL for Phenol.

**Revision Date** 01-2012

**Revision** 4

**Supersedes date** 11-2011

##### **Risk Phrases In Full**

R34 Causes burns.  
R22 Harmful if swallowed.  
R48/20/21/22 Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.  
R11 Highly flammable  
R40 Limited evidence of a carcinogenic effect.  
R68 Possible risk of irreversible effects.  
R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.  
R24 Toxic in contact with skin.  
R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

##### **Hazard Statements In Full**

H370 Causes damage to organs <<Organs>>.  
H314 Causes severe skin burns and eye damage.  
H330 Fatal if inhaled.  
H302 Harmful if swallowed.  
H225 Highly flammable liquid and vapour.  
H350 May cause cancer.  
H373 May cause damage to organs <<Organs>> through prolonged or repeated exposure.  
H351 Suspected of causing cancer.  
H341 Suspected of causing genetic defects.  
H331 Toxic if inhaled.  
H301 Toxic if swallowed.  
H311 Toxic in contact with skin.

##### Disclaimer

The information in this safety data sheet was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Pro-Lab Diagnostics control, it is the users responsibility to perform thorough testing of this product when used in combination with any other product. It is suggested that users familiarise themselves with this safety data sheet before handling the product.