

SAFETY DATA SHEET



Bordetella Selective Supplement

1. Identification of the substance/preparation and company/undertaking

Identification of the substance or preparation

Product name : *Bordetella* Selective Supplement **Code**
Trade name : *Bordetella* Selective Supplement PL.580
Bordetella Selective Supplement PL.580-1.0

Use of the substance/preparation : *Bordetella* Selective Supplement is an antibiotic supplement used to enhance the transport and culture of *Bordetella pertussis*.

Company/undertaking identification

Supplier/Manufacturer : Pro-Lab Diagnostics
 20 Mural Street, Unit 4
 Richmond Hill, ON
 Canada L4B 1K3
 Tel: +1-905-731-0300
 Fax: +1-905-731-0206
 www.pro-lab.com

Emergency telephone number : +44 (0)151 353 1613 -Monday to Friday 9:00 am to 5:00 pm.
 +44 (0)7714 429 646 -Outside the above hours.

2. Composition/information on ingredients

Substance/preparation : Preparation

Ingredient name	CAS number	%	EC number	Classification
Phosphoric acid, sodium salt	7558-79-4	30 - 60	231-448-7	Xi; R36/37/38
Cefalexin	15686-71-2	10 - 30	239-773-6	R42/43
See section 16 for the full text of the R-phrases declared above				

Occupational exposure limits, if available, are listed in section 8.

3. Hazards identification

The preparation is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Xi; R36/37/38
 R42/43

Human health hazards : Irritating to eyes, respiratory system and skin.
 May cause sensitisation by inhalation and skin contact.

See section 11 for more detailed information on health effects and symptoms.

4. First-aid measures

First-aid measures

Eye contact : Check for and remove any contact lenses. In case of contact with eyes, rinse immediately with plenty of water. Obtain medical attention if symptoms occur.

Skin contact : Wash with soap and water. Obtain medical attention if symptoms occur.

Inhalation : If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms appear.

Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See section 11 for more detailed information on health effects and symptoms.

