

# SAFETY DATA SHEET

## ZN Carbol Fuchsin

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758, as amended.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** ZN Carbol Fuchsin  
**Product number** PL.7018, PL.7018/25, PL.7018/100, PL.7019, PL.7020

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Laboratory reagent.  
**Uses advised against** No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Pro-Lab Diagnostics  
3 Bassendale Road  
Wirral  
Merseyside  
CH62 3QL  
Tel: 0151 353 1613  
Fax: 0151 353 1614  
mowen@pro-lab.com

#### 1.4. Emergency telephone number

**Emergency telephone** +44 (0)151 353 1613 Monday to Friday 9.00 to 17.00  
+44 (0)7714 429 646 outside the above hours

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (SI 2019 No. 720)

**Physical hazards** Flam. Liq. 3 - H226  
**Health hazards** Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Muta. 2 - H341 Carc. 2 - H351  
**Environmental hazards** Aquatic Chronic 3 - H412

**Human health** Corrosive to skin and eyes. Contains a substance which may be potentially carcinogenic.

**Environmental** The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

**Physicochemical** The product is highly flammable.

#### 2.2. Label elements

##### Hazard pictograms



**Signal word**

Danger

## ZN Carbol Fuchsin

<b>Hazard statements</b>	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H412 Harmful to aquatic life with long lasting effects.
<b>Precautionary statements</b>	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P280 Wear protective clothing, gloves, eye and face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P501 Dispose of contents/ container in accordance with national regulations.
<b>Contains</b>	phenol, basic fuchsin, methanol
<b>Supplementary precautionary statements</b>	P202 Do not handle until all safety precautions have been read and understood. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P260 Do not breathe vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P308+P313 IF exposed or concerned: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P405 Store locked up.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>ethanol</b>	<b>10 - &lt;25%</b>
CAS number: 64-17-5	EC number: 200-578-6
Substance with National workplace exposure limits.	
<b>Classification</b>	
Flam. Liq. 2 - H225	
Eye Irrit. 2 - H319	

## ZN Carbol Fuchsin

<b>phenol</b>	<b>5 - &lt;10%</b>
CAS number: 108-95-2	EC number: 203-632-7
<b>Classification</b>	
Acute Tox. 3 - H301	
Acute Tox. 3 - H311	
Acute Tox. 3 - H331	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Muta. 2 - H341	
STOT RE 2 - H373	
Aquatic Chronic 2 - H411	
<b>basic fuchsin</b>	<b>1 - &lt;2.5%</b>
CAS number: 58969-01-0	
<b>Classification</b>	
Acute Tox. 4 - H302	
Carc. 2 - H351	
<b>methanol</b>	<b>0.5 - &lt;1%</b>
CAS number: 67-56-1	EC number: 200-659-6
<b>Classification</b>	
Flam. Liq. 2 - H225	
Acute Tox. 3 - H301	
Acute Tox. 3 - H311	
Acute Tox. 3 - H331	
STOT SE 1 - H370	

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	Keep affected person away from heat, sparks and flames.
<b>Inhalation</b>	Immediate first aid is imperative. Loosen tight clothing such as collar, tie or belt. Maintain an open airway. Move affected person to fresh air at once. Place unconscious person on their side in the recovery position and ensure breathing can take place. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Do not induce vomiting unless under the direction of medical personnel. If in doubt, get medical attention promptly.
<b>Skin contact</b>	Rinse cautiously with water for several minutes. Remove contaminated clothing. Continue to rinse for at least 15 minutes and get medical attention. Wash contaminated clothing before reuse. Chemical burns must be treated by a physician.
<b>Eye contact</b>	Remove contact lenses, if present and easy to do. Continue rinsing. Rinse immediately with plenty of water. Get medical attention if symptoms are severe or persist after washing.

#### 4.2. Most important symptoms and effects, both acute and delayed

## ZN Carbol Fuchsin

<b>Inhalation</b>	Symptoms following overexposure may include the following: Coughing, chest tightness, feeling of chest pressure. Drowsiness, dizziness, disorientation, vertigo. May cause discomfort.
<b>Ingestion</b>	Burning sensation in mouth. Coughing. Gastrointestinal symptoms, including upset stomach.
<b>Skin contact</b>	This product is corrosive. May cause serious chemical burns to the skin. Pain.
<b>Eye contact</b>	Causes serious eye damage. Conjunctivitis, irritation, tearing. Pain. Profuse watering of the eyes. Vapour or spray in the eyes may cause irritation and smarting.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
-----------------------------	---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Fight fire from safe distance or protected location. Use water spray to reduce vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.

**Special protective equipment for firefighters** Use air-supplied respirator, gloves and protective goggles. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Use protective equipment appropriate for surrounding materials.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Follow precautions for safe handling described in this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation.

### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material. The product contains substances which are water-soluble and may spread in water systems. The product contains volatile substances which may spread in the atmosphere.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Take care as floors and other surfaces may become slippery. Contain spillage with sand, earth or other suitable non-combustible material. Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards.

## ZN Carbol Fuchsin

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

<b>Usage precautions</b>	Avoid breathing vapours. Avoid contact with eyes and prolonged skin contact. Avoid the formation of mists. Ground/bond container and receiving equipment.
<b>Advice on general occupational hygiene</b>	Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented. Take off contaminated clothing and wash it before reuse. Wash promptly with soap and water if skin becomes contaminated.

#### 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage precautions</b>	Keep at temperature not exceeding 25°C.
<b>Storage class</b>	Flammable liquid storage.

#### 7.3. Specific end use(s)

<b>Specific end use(s)</b>	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

###### **ethanol**

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup>

###### **phenol**

Long-term exposure limit (8-hour TWA): WEL 2 ppm 7.8 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 4 ppm 16 mg/m<sup>3</sup>

Sk

###### **methanol**

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m<sup>3</sup>

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

#### phenol (CAS: 108-95-2)

<b>DNEL</b>	<p>Workers - Inhalation; Long term systemic effects: 8 mg/m<sup>3</sup></p> <p>Workers - Inhalation; Short term local effects: 16 mg/m<sup>3</sup></p> <p>Workers - Dermal; Long term systemic effects: 1.23 mg/kg/day</p> <p>General population - Inhalation; Long term systemic effects: 1.32 mg/m<sup>3</sup></p> <p>General population - Dermal; Long term systemic effects: 0.4 mg/kg/day</p> <p>General population - Oral; Long term systemic effects: 0.4 mg/kg/day</p>
<b>PNEC</b>	<p>- Fresh water; 0.008 mg/l</p> <p>- Intermittent release, Fresh water; 0.031 mg/l</p> <p>- marine water; 0.001 mg/l</p> <p>- STP; 2.1 mg/l</p> <p>- Sediment (Freshwater); 0.009 mg/kg</p> <p>- Sediment (Marinewater); 0.009 mg/kg</p> <p>- Soil; 0.136 mg/kg</p>

#### methanol (CAS: 67-56-1)

## ZN Carbol Fuchsin

<b>DNEL</b>	Workers - Inhalation; Long term systemic effects: 260 mg/m <sup>3</sup>
	Workers - Inhalation; Short term systemic effects: 260 mg/m <sup>3</sup>
	Workers - Inhalation; Long term local effects: 260 mg/m <sup>3</sup>
	Workers - Inhalation; Short term local effects: 260 mg/m <sup>3</sup>
	Workers - Dermal; Long term systemic effects: 40 mg/kg/day
	Workers - Dermal; Short term systemic effects: 40 mg/kg/day
	General population - Inhalation; Long term systemic effects: 50 mg/m <sup>3</sup>
	General population - Inhalation; Short term systemic effects: 50 mg/m <sup>3</sup>
	General population - Inhalation; Long term local effects: 50 mg/m <sup>3</sup>
	General population - Inhalation; Short term local effects: 50 mg/m <sup>3</sup>
	General population - Dermal; Long term systemic effects: 8 mg/kg/day
	General population - Dermal; Short term systemic effects: 8 mg/kg/day
	General population - Oral; Long term systemic effects: 8 mg/kg/day
General population - Oral; Short term systemic effects: 8 mg/kg/day	
<b>PNEC</b>	- Fresh water; 20.8 mg/l
	- Fresh water, Intermittent release; 1540 mg/l
	- marine water; 2.08 mg/l
	- STP; 100 mg/l
	- Sediment (Freshwater); 77 mg/kg
	- Sediment (Marinewater); 7.7 mg/kg
- Soil; 100 mg/kg	

### 8.2. Exposure controls

<b>Appropriate engineering controls</b>	Avoid inhalation of vapours and spray/mists. Good general ventilation should be adequate to control worker exposure to airborne contaminants. In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Eye/face protection</b>	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.
<b>Hand protection</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended. The breakthrough time for any glove material may be different for different glove manufacturers.
<b>Other skin and body protection</b>	Wear anti-static protective clothing if there is a risk of ignition from static electricity.
<b>Hygiene measures</b>	Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented.
<b>Respiratory protection</b>	If ventilation is inadequate, suitable respiratory protection must be worn. Seek advice from supervisor on the company's respiratory protection standards. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Yellow. Magenta.
<b>Odour</b>	Alcoholic.
<b>pH</b>	Not relevant.

## ZN Carbol Fuchsin

<b>Melting point</b>	Not relevant.
<b>Initial boiling point and range</b>	Not determined.
<b>Flash point</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Flammability (solid, gas)</b>	Not determined.
<b>Upper/lower flammability or explosive limits</b>	Not determined.
<b>Vapour pressure</b>	Not determined.
<b>Vapour density</b>	Not relevant.
<b>Relative density</b>	Not determined.
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient</b>	Not determined.
<b>Auto-ignition temperature</b>	Not determined.
<b>Decomposition Temperature</b>	Not determined.
<b>Viscosity</b>	Not determined.
<b>Explosive properties</b>	Not considered to be explosive.
<b>Oxidising properties</b>	Does not meet the criteria for classification as oxidising.

### 9.2. Other information

**Other information** None.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** No test data specifically related to reactivity available for this product or its ingredients.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Acids. Alkalis. Oxidising agents.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

### 10.5. Incompatible materials

**Materials to avoid** Acids. Alkalis. Oxidising agents.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Nitrous gases (NO<sub>x</sub>). Hydrocarbons. Does not decompose when used and stored as recommended.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

## ZN Carbol Fuchsin

### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Acute Tox. 4 - H302 Harmful if swallowed.

**ATE oral (mg/kg)** 1,239.67

### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE dermal (mg/kg)** 7,127.46

### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE inhalation (gases ppm)** 87,501.75

**ATE inhalation (vapours mg/l)** 36.14

### Skin corrosion/irritation

**Animal data** Skin Corr. 1B - H314 Causes severe skin burns and eye damage.

### Serious eye damage/irritation

**Serious eye damage/irritation** Eye Dam. 1 - H318 Causes serious eye damage.

### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Muta. 2 - H341 Suspected of causing genetic defects.

### Carcinogenicity

**Carcinogenicity** Carc. 2 - H351 Suspected of causing cancer.

### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Based on available data the classification criteria are not met.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

### Aspiration hazard

**Aspiration hazard** Not anticipated to present an aspiration hazard, based on chemical structure.

### **Inhalation**

Toxic if inhaled. Symptoms following overexposure may include the following: Pain or irritation. Irritation of nose, throat and airway. Coughing. Wheezing/breathing difficulties.

### **Ingestion**

Toxic if swallowed. May cause chemical burns in mouth, oesophagus and stomach.

### **Skin contact**

This product is strongly corrosive. May cause serious chemical burns to the skin. Harmful in contact with skin.

### **Eye contact**

Risk of serious damage to eyes. A single exposure may cause the following adverse effects: Pain. Conjunctivitis, irritation, tearing. Redness.

### **Acute and chronic health hazards**

Suspected of causing genetic defects. Suspected of causing cancer.



## ZN Carbol Fuchsin

**Route of exposure** Inhalation Ingestion Skin and/or eye contact

**Toxicological information on ingredients.**

**ethanol**

**Acute toxicity - oral**

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 10,470.0

**Species** Rat

**Notes (oral LD<sub>50</sub>)** REACH dossier information. Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 10,470.0

**Acute toxicity - inhalation**

**Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l)** 124.7

**Species** Rat

**Notes (inhalation LC<sub>50</sub>)** REACH dossier information. Based on available data the classification criteria are not met.

**ATE inhalation (vapours mg/l)** 124.7

**Skin corrosion/irritation**

**Animal data** Dose: 0.2 ml, 24 hours, Rabbit Primary dermal irritation index: 0 / 8 REACH dossier information. Not irritating.

**Serious eye damage/irritation**

**Serious eye damage/irritation** Dose: 0.1 mL, 21 days, Rabbit Causes eye irritation. REACH dossier information.

**Respiratory sensitisation**

**Respiratory sensitisation** Rat: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met.

**Skin sensitisation**

**Skin sensitisation** Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information. Read across data. Based on available data the classification criteria are not met.

**Germ cell mutagenicity**

**Genotoxicity - in vitro** Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met.

**Genotoxicity - in vivo** Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.

**Carcinogenicity**

**IARC carcinogenicity** IARC Group 1 Carcinogenic to humans.

**Reproductive toxicity**

## ZN Carbol Fuchsin

<b>Reproductive toxicity - fertility</b>	Two-generation study - NOAEL 15 %, Oral, Mouse P REACH dossier information.
<b>Reproductive toxicity - development</b>	Maternal toxicity: - NOAEL: 16000 ppm, Inhalation, Rat REACH dossier information.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	LOAEL 4 mL/Kg, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.
<b><u>phenol</u></b>	
<b><u>Acute toxicity - oral</u></b>	
<b>Notes (oral LD<sub>50</sub>)</b>	Acute Tox. 3 - H301 Toxic if swallowed.
<b>ATE oral (mg/kg)</b>	100.0
<b><u>Acute toxicity - dermal</u></b>	
<b>Acute toxicity dermal (LD<sub>50</sub> mg/kg)</b>	660.0
<b>Species</b>	Rat
<b>Notes (dermal LD<sub>50</sub>)</b>	REACH dossier information. Acute Tox. 3 - H311 Toxic in contact with skin.
<b>ATE dermal (mg/kg)</b>	660.0
<b><u>Acute toxicity - inhalation</u></b>	
<b>Notes (inhalation LC<sub>50</sub>)</b>	Acute Tox. 3 - H331 Toxic if inhaled.
<b>ATE inhalation (vapours mg/l)</b>	3.0
<b><u>Skin corrosion/irritation</u></b>	
<b>Animal data</b>	Dose: 0.5 g, 24 hours, Rabbit Erythema/eschar score: Severe erythema (beef redness) to eschar formation preventing grading of erythema (4). REACH dossier information. Corrosive.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Dose: 100 mg, < 14 days, Rabbit REACH dossier information. Corrosive to skin. Corrosivity to eyes is assumed.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	Local Lymph Node Assay (LLNA) - Mouse: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Chromosome aberration: Positive. REACH dossier information. May induce heritable mutations in the germ cells of humans.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	NOAEL 5000 ppm, Oral, Mouse REACH dossier information. Based on available data the classification criteria are not met.
<b>IARC carcinogenicity</b>	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
<b><u>Reproductive toxicity</u></b>	

## ZN Carbol Fuchsin

**Reproductive toxicity - fertility** Two-generation study - NOAEL 1000 mg/l, Oral, Rat P REACH dossier information. Based on available data the classification criteria are not met.

**Reproductive toxicity - development** Developmental toxicity:, Maternal toxicity: - NOAEL: 140 mg/kg/day, Oral, Mouse  
No evidence of reproductive toxicity in animal studies.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure.

### basic fuchsin

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Converted acute toxicity point estimate (cATpE) Acute Tox. 4 - H302 Harmful if swallowed.

**ATE oral (mg/kg)** 500.0

#### Carcinogenicity

**Carcinogenicity** Carc. 2 - H351 Suspected of causing cancer.

### methanol

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** International Programme on Chemical Safety (IPCS) (1997) Environmental Health Criteria 196: Methanol. Geneva, World Health Organization. Toxic if swallowed.

**ATE oral (mg/kg)** 100.0

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Converted acute toxicity point estimate (cATpE) Toxic in contact with skin.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Converted acute toxicity point estimate (cATpE) Toxic if inhaled.

**ATE inhalation (gases ppm)** 700.0

**ATE inhalation (vapours mg/l)** 3.0

#### Skin corrosion/irritation

**Animal data** Dose: 2.5cm x 2.5cm, 20 hours, Rabbit Erythema/eschar score: No erythema (0). Oedema score: No oedema (0). REACH dossier information. Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Dose: 0.05 ml, 24 hours, Rabbit REACH dossier information. Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** Bacterial reverse mutation test: Negative. REACH dossier information. Based on available data the classification criteria are not met.

## ZN Carbol Fuchsin

**Genotoxicity - in vivo** Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

**STOT - single exposure** STOT SE 1 - H370

**Target organs** Eyes Central nervous system

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** LOAEL 2340 mg/kg/day, Oral, Monkey REACH dossier information. Based on available data the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

**Toxicity** Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

### Ecological information on ingredients.

#### ethanol

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 14200 mg/l, Pimephales promelas (Fat-head Minnow)  
REACH dossier information.

**Acute toxicity - aquatic invertebrates** LC<sub>50</sub>, 48 hours: 5012 mg/l, Ceriodaphnia dubia  
REACH dossier information.

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: 275 mg/l, Chlorella vulgaris  
REACH dossier information.

#### Chronic aquatic toxicity

**Chronic toxicity - fish early life stage** NOEC, 120 hours: 250 mg/l, Brachydanio rerio (Zebra Fish)

**Chronic toxicity - aquatic invertebrates** NOEC, 9 days: 9.6 mg/l, Daphnia magna  
REACH dossier information.

#### phenol

**Toxicity** Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 8.9 mg/l, Oncorhynchus mykiss (Rainbow trout)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 3.1 mg/l, Ceriodaphnia dubia

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 96 hours: 61.1 mg/l, Pseudokirchneriella subcapitata

#### Chronic aquatic toxicity

**Chronic toxicity - fish early life stage** NOEC, 60 days: 0.077 mg/l, Cirrhina mrigala

**Chronic toxicity - aquatic invertebrates** NOEC, 16 days: 0.16 mg/l, Daphnia magna

## ZN Carbol Fuchsin

### methanol

#### Acute aquatic toxicity

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 15400 mg/l, Lepomis macrochirus (Bluegill) EC <sub>50</sub> , 96 hours: 12700 mg/l, Lepomis macrochirus (Bluegill) REACH dossier information.
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 96 hours: 18260 mg/l, Daphnia magna REACH dossier information.
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 96 hours: ~ 22000 mg/l, Pseudokirchneriella subcapitata REACH dossier information.
<b>Acute toxicity - microorganisms</b>	IC <sub>50</sub> , 3 hours: >1000 mg/l, Activated sludge REACH dossier information.

### 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product. Volatile substances are degraded in the atmosphere within a few days.

#### Ecological information on ingredients.

### ethanol

<b>Biodegradation</b>	Water - Degradation (74%): 10 days REACH dossier information. The substance is readily biodegradable.
<b>Chemical oxygen demand</b>	1.99 g O <sub>2</sub> /g substance REACH dossier information.

### phenol

<b>Phototransformation</b>	Water - DT <sub>50</sub> : 14 hours
<b>Biodegradation</b>	Water - Degradation 80.1%: 50 days

### methanol

<b>Phototransformation</b>	Water - DT <sub>50</sub> : 17.2 days REACH dossier information.
<b>Biodegradation</b>	Water - Degradation (95%): 20 days Water - Degradation (91%): 15 days Water - Degradation (88%): 10 days Water - Degradation (76%): 5 days REACH dossier information. The substance is readily biodegradable.

### 12.3. Bioaccumulative potential

<b>Bioaccumulative potential</b>	Not determined.
<b>Partition coefficient</b>	Not determined.

#### Ecological information on ingredients.

### ethanol

<b>Partition coefficient</b>	log Pow: - 0.35 REACH dossier information.
------------------------------	--

## ZN Carbol Fuchsin

### phenol

**Bioaccumulative potential** BCF: 17.5, Brachydanio rerio (Zebra Fish)

**Partition coefficient** log Pow: 1.47

### methanol

**Partition coefficient** log Pow: -0.77 REACH dossier information.

#### 12.4. Mobility in soil

**Mobility** The product contains organic solvents which will evaporate easily from all surfaces. The product contains substances which are water-soluble and may spread in water systems.

#### Ecological information on ingredients.

### ethanol

**Surface tension** 24.5 mN/m @ 20°C/68°F REACH dossier information.

### phenol

**Adsorption/desorption coefficient** Water - Koc: 14-26 @ 25°C

**Henry's law constant** 0.022 Pa m<sup>3</sup>/mol @ 20°C

**Surface tension** 71.3 mN/m @ 20°C

### methanol

**Mobility** Mobile.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### Ecological information on ingredients.

### ethanol

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current UK criteria.

### phenol

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current UK criteria.

### methanol

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current UK criteria.

#### 12.6. Other adverse effects

**Other adverse effects** Not relevant.

### SECTION 13: Disposal considerations

## ZN Carbol Fuchsin

### 13.1. Waste treatment methods

<b>General information</b>	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Confirm disposal procedures with environmental engineer and local regulations. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out.
<b>Disposal methods</b>	Do not empty into drains. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Collect and place in suitable waste disposal containers and seal securely. Dispose of contents/container in accordance with national regulations.

### SECTION 14: Transport information

#### 14.1. UN number

UN No. (ADR/RID)	2920
UN No. (IMDG)	2920
UN No. (ICAO)	2920
UN No. (ADN)	2920


#### 14.2. UN proper shipping name

Proper shipping name (ADR/RID)	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ethanol, phenol)
Proper shipping name (IMDG)	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ethanol, phenol)
Proper shipping name (ICAO)	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ethanol, phenol)
Proper shipping name (ADN)	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ethanol, phenol)

#### 14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID subsidiary risk	3
ADR/RID classification code	CF1
ADR/RID label	8
IMDG class	8
IMDG subsidiary risk	3
ICAO class/division	8
ICAO subsidiary risk	3
ADN class	8
ADN subsidiary risk	3

#### Transport labels



#### 14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II

## ZN Carbol Fuchsin

ICAO packing group II

ADN packing group II

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

EmS F-E, S-C

ADR transport category 2

Emergency Action Code •3W

Hazard Identification Number 83  
(ADR/RID)

Tunnel restriction code (D/E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant.

Annex II of MARPOL 73/78  
and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** EH40/2005 Workplace exposure limits.  
The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758, as amended.  
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 No. 720, as amended.

**EU legislation** Council Directive of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC).

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information



## ZN Carbol Fuchsin

<b>Abbreviations and acronyms used in the safety data sheet</b>	<p>ATE: Acute Toxicity Estimate.  cATpE: Converted acute toxicity point estimate.  ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.  DNEL: Derived No Effect Level.  IATA: International Air Transport Association.  ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.  IMDG: International Maritime Dangerous Goods.  LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).  LC50: Lethal Concentration to 50 % of a test population.  PNEC: Predicted No Effect Concentration.  RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.  BCF: Bioconcentration Factor.  EC<sub>50</sub>: 50% of maximal Effective Concentration.  NOAEL: No Observed Adverse Effect Level.  NOEC: No Observed Effect Concentration.</p>
<b>Classification abbreviations and acronyms</b>	<p>Acute Tox. = Acute toxicity  Aquatic Chronic = Hazardous to the aquatic environment (chronic)  Carc. = Carcinogenicity  Eye Dam. = Serious eye damage  Eye Irrit. = Eye irritation  Flam. Liq. = Flammable liquid  Muta. = Germ cell mutagenicity  Skin Corr. = Skin corrosion  STOT RE = Specific target organ toxicity-repeated exposure  STOT SE = Specific target organ toxicity-single exposure</p>
<b>Classification procedures according to SI 2019 No. 720</b>	<p>Flam. Liq. 3 - H226: Expert judgement. Acute Tox. 4 - H302, Skin Corr. 1B - H314, Eye Dam. 1 - H318, Muta. 2 - H341, Carc. 2 - H351, Aquatic Chronic 3 - H412: Calculation method.</p>
<b>Revision comments</b>	Revised regulations.
<b>Revision date</b>	26/09/2022
<b>Revision</b>	10
<b>Supersedes date</b>	01/10/2017
<b>SDS number</b>	829
<b>Hazard statements in full</b>	<p>H225 Highly flammable liquid and vapour.  H226 Flammable liquid and vapour.  H301 Toxic if swallowed.  H302 Harmful if swallowed.  H311 Toxic in contact with skin.  H314 Causes severe skin burns and eye damage.  H318 Causes serious eye damage.  H319 Causes serious eye irritation.  H331 Toxic if inhaled.  H341 Suspected of causing genetic defects.  H351 Suspected of causing cancer.  H370 Causes damage to organs .  H373 May cause damage to organs through prolonged or repeated exposure.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.</p>

## ZN Carbol Fuchsin

The information in this safety data sheet was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Pro-Lab Diagnostics control, it is the users responsibility to perform thorough testing of this product when used in combination with any other product. It is suggested that users familiarise themselves with this safety data sheet before handling the product.